





## NOTICE OF REOPENING OF PUBLIC CONSULTATION FOR THE ADMINISTRATIVE SEWERAGE CONCESSION OF THE CENTRO-LESTE AND OESTE SANEPAR MICRORREGION No. 01/2023.

OBJECTIVE: Public-private partnership in the form of administrative concession for the provision of sanitary sewerage services in the area covering Municipalities of the Centro-Leste Microrregion of Paraná.

The Sanitation Company of the State of Paraná – SANEPAR, in the exercise of its powers and in accordance with section VI of article 10 of Law No. 11.079 of December 30, 2004, announces the reopening of the Public Consultation for the Concession related to the above-mentioned object, with a meeting for the provision of sanitary sewerage services in the area covering Municipalities of the Centro-Leste and Oeste Microrregions of Paraná and division of the object of the tender into 03 (three) lots. Initially, we communicate the adaptation of the object of Public Consultation No. 01/2023, which becomes:

OBJECTIVE: Public-private partnership in the form of administrative concession for the provision of sanitary sewerage services in the area covering Municipalities of the Centro-Leste and Oeste Microrregions of Paraná.

Thus, the reopening of this Public Consultation to interested parties is informed, with the aim of making public and collecting suggestions and contributions for the improvement of the documents informing the Public Competition of the Sanitary Sewerage Public-Private Partnership Project of the Centro-Leste and Oeste Microrregions indicated above.

Interested parties may gain access to tender documents, draft contract, and annexes. All this information will be available in a virtual environment, from November 17 to December 16, 2023, on the website <a href="https://site.sanepar.com.br/fornecedores/consulta-publica-mrae2-mrae3">https://site.sanepar.com.br/fornecedores/consulta-publica-mrae2-mrae3</a>.

During the same period, inquiries and contributions to the Project should be directed to SANEPAR, accompanied by identification of the interested party, and should be sent, with a confirmation request for of receipt, through the website https://site.sanepar.com.br/fornecedores/consulta-publica-mrae2-mrae3, using a form provided. It is mandatory to submit contributions through the form on the aforementioned website, containing the identification of the consulted document, the respective item, and the contribution or inquiry in question. If there is a need to include studies or supplementary materials, there is a specific field in the form. The file must also contain the identification of the consulted document and the respective item.

Manifestations that do not pertain to the current tender or that have been formulated differently from what is established in this Notice will be disregarded.

Curitiba, November 13, 2023.

FERNANDO MAURO NASCIMENTO GUEDES Administrative Director

> CLAUDIO STABILE President-Director

Assinatura Qualificada realizada por: Fernando Mauro Nascimento Guedes em 13/11/2023 19:16, Claudio Stabile em 14/11/2023 09:33. Assinatura Avançada realizada por: Marcio Ricardo das Chagas Lima (XXX.038.789-XX) em 13/11/2023 10:30 Local: SANEPAR/09037. Inserido ao protocolo 20.789.242-4 por: Lucas Paulino da Silva em: 13/11/2023 10:16. Documento assinado nos termos do Art. 38 do Decreto Estadual nº 7304/2021. A autenticidade deste documento pode ser validada no endereço:





Documento: Notice\_Reopening\_PublicPrivate\_Partnership\_Consultation\_CENTROLESTE\_OESTE.pdf.

Assinatura Qualificada realizada por: Fernando Mauro Nascimento Guedes em 13/11/2023 19:16, Claudio Stabile em 14/11/2023 09:33.

Assinatura Avançada realizada por: Marcio Ricardo das Chagas Lima (XXX.038.789-XX) em 13/11/2023 10:30 Local: SANEPAR/09037.

Inserido ao protocolo 20.789.242-4 por: Lucas Paulino da Silva em: 13/11/2023 10:16.



Documento assinado nos termos do Art. 38 do Decreto Estadual nº 7304/2021.

A autenticidade deste documento pode ser validada no endereço: https://www.eprotocolo.pr.gov.br/spiweb/validarDocumento com o código: f99676a06ad4af48f1ccc865dfc9e70f.